



Cast Iron Threaded Fittings Standard Class 125 Specifications

- ANSI B1.20.1, Threads, B16.4, Dimensions, Pressure Rating
- ASTM A126, Material. A153, Galvanizing
- Federal Spec. WW-P-501
- Pressure Ratings: 125 psig – Saturated Steam
175 psig – at 150° W.O.G.
- ULC, UL, listed where applicable
- FM approved where applicable



Malleable Threaded Fittings Standard Class 150 Specifications

- ANSI B1.20.1, Threads, B16.3, Dimensions, Pressure Rating
- ASTM A197, Material. A153, Galvanizing
- Federal Spec. WWP 521
- Pressure Ratings: 150 psig – Saturated Steam
300 psig – at 150° W.O.G.
- ULC, UL, listed where applicable
- FM approved where applicable



Plug and Bushing Specifications

- ANSI B1.20.1, Threads, B16.4, Dimensions, Pressure Rating
- ASTM A197 (Malleable), A126 (Cast), A153 Galvanizing
- ANSI B16.1 Dimensions, Pressure Rating
- ASTM A126 Material
- Federal Spec. WW-P-471
- Federal Spec. WW-F-406
- Pressure Ratings (Malleable): 150 psig – Saturated Steam
300 psig – at 150° W.O.G.
- Pressure Ratings (Cast): 125 psig – Saturated Steam
175 psig – at 150° W.O.G.
- ULC, UL, listed where applicable
- FM approved where applicable